





It's DIFFERENT

Flais has been built on the simple philosophy of giving back something different to the community than what we borrow from it. We design concepts that are exceptionally aesthetic and pleasing both functionally plus visually. Flais aims at delivering towards the need of the hour, we desire to fulfil what market requires today and in the coming years from today.





It's DIFFERENT




AT THE CENTER OF DESIGN

FLAIS PARK


At Flais, we desire to create a lasting presence in the world of international design. We want to amalgamate technology and innovation by bringing the best of both worlds to you. Offering design solutions for architects, interiors, innovators, and decorators is our key goal.

PERMANENT INNOVATION




THE HARMONY ——OF THE SPACES

A system fostered by the dialogue between the architect and the FLAIS collections; combinations that end in a beautiful and solid materiality expression of its ultimate meaning and purpose. With this approach we present all of our new catalogues that are a walk through the divergent environments of our world, a range of pieces, formats, textures and colours to enhance and sensitively elaborate the many styles of contemporary architecture.



GLOBAL DESIGN PARTNER

We believe in bringing the world together through the world of good ideas, innovations and design. Building partnerships that go beyond the boundaries of the nation and connect us with the world is what keeps us going. Doing business in various parts of the world enables us to grow and enhance our experience of building meaningful relationships.





Archetypal and modern designs.











ARDESIA BRUNO

ARDESIA GREY












Size : **800x1600mm**


Surface: **Matt**


Thickness: 9mm



Creating a resplendent impression.









Size: **800x1600mm**

Surface: **Matt**

Rendom: Thickness: 9mm

BOSTON
BROWNBOSTON
CHOCOBOSTON
NERO

















A
Perfect
complement
to
your
space.









Size: Surface: Matt

Rendom: Thickness: 9mm














Minimalistic yet subtly regal designs.









MARTINO BEIGE


MARTINO BIANCO



Size : **800x1600mm**

Surface: **Matt**


Thickness: 9mm





















TUSCAN CHIPS

TUSCAN CHIPS GREY






Size : **800x1600mm**

Surface: **Matt**

Thickness: 9mm

PERMANENT INNOVATION















BOTTICINO BEIGE

BOTTICINO GREY











Size : **800x1600mm**


Surface : **Carving**

Thickness: 9mm











FOREVER CREMA












Size : **800x1600mm**


Surface: Carving

Thickness: 9mm














GOLDEN RIVER

SILVER RIVER











Size : **800x1600mm**

Surface : **Carving**

Thickness: 9mm













NEXO BEIGE NEXO GREY












Size : **800x1600mm**

Surface : **Carving**

Thickness: 9mm



CARVING SURFACE





Size : **800x1600mm**

Surface : **Carving**


Rendom: Thickness: 9mm


STELLAR
BROWNSTELLAR
GREYSTELLAR
NERO













Technical Specification

TEST DESCRIPTION	TEST METHOD	ISO STANDARD 13006 B1a TILES	FLAIS VALUE
Length and width	BS EN ISO 10545-2	± 0.6%	± 0.3%
Thickness	BS EN ISO 10545-2	± 5.0%	± 3.0%
Straightness of sides	BS EN ISO 10545-2	± 0.5%	± 0.3%
Rectangularity	BS EN ISO 10545-2	± 0.6%	± 0.3%
Surface flatness	BS EN ISO 10545-2	± 0.5%	± 0.3%
Water absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.05%
Breaking strength	BS EN ISO 10545-4	≥ 1300N	≥ 1500N
Modulus of rupture	BS EN ISO 10545-4	≥ 35 N/mm²	≥ 45N/mm²
Resistance to deep abrasion	BS EN ISO 10545-6	≤ 175mm³	≤ 150mm³
Linear thermal expansion	BS EN ISO 10545-8	≤ 9 x 10 ⁻⁸ °C¹	≤ 7 x 10 ⁻⁶ °C¹
Thermal shock resistance	BS EN ISO 10545-9	No visible defect	No visible defect
Frost resistance	BS EN ISO 10545-12	Frost proof	Frost proof
Resistance to chemicals	BS EN ISO 10545-13	No visible effect	No visible effect
Resistance to stain	BS EN ISO 10545-14	Manufacturer to state class	Stains removed Min. Class 2
Colour resistance	BS EN ISO 10545-16	No damage	No damage
Colour resistance to UV Light	DIN 51094	No change in color	No change in color
Scratch hardness(MOH's Scale)	EN 101	≥ 6 MOHS	≥ 7 MOHS
Surface quality	BS EN ISO 10545-2	Min. 95%	No visible defect
Skid resistance (friction co-efficient)	BS EN ISO 10545-17	> 0.4	>0.4
Moisture Expansion	-	Nil	Nil

Packing Details

Size	Pcs. / Box	Weight (Approx)	Thickness (Approx)	Sq. / Box
800x1600mm	02	50 kg	9mm	27.55







- © +91 95867 33300 / +91 9898304831
- Survay No. 151/p1, Unchi Mandal, Halvad Highway, Gujarat 363642, India.
- info@flaisgranito.com
- www.flaisgranito.com

Mfg. By: **KEVAL GRANITO LLP**

